

Stand: 02.06.2025

Aufstellung aller im Kanalkatastr des KKU geführten
Straßenentwässerungskanäle, sortiert nach Haltungsbezeichnungen

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]
10051	Stahlbeton	300	30,90
10102	Stahlbeton	300	47,63
10288	Steinzeug	250	33,85
10292	Steinzeug	250	5,49
10293	Steinzeug	250	38,77
10396	Beton	250	45,22
10467	Beton	300	6,06
1054_SSK1	KG	150	1,73
1056	Beton	250	70,75
1057	Steinzeug	250	56,53
1071	-	0	21,44
11058	Stahlbeton	500	36,09
11071	Beton	400	11,13
11072	-	0	25,90
1123	Steinzeug	250	50,20
1124	Steinzeug	250	24,77
1125	Steinzeug	250	12,77
1126	Steinzeug	250	23,27
1127	Steinzeug	200	8,80
1501SE	Beton	250	35,10
1502SE	Beton	250	6,91
152	Steinzeug	300	44,71
154	Steinzeug	300	24,75
155	Steinzeug	300	19,26
160	Steinzeug	300	31,35
162	Steinzeug	300	22,98
163	Steinzeug	300	38,18
164	Steinzeug	300	28,00
168	Steinzeug	300	28,39
169SE01	KG	150	4,19
172SE01	KG	150	3,06
177	Stahlbeton	250	14,47
1781	Beton	250	9,98
1782	Beton	250	59,07
1783	Steinzeug	250	50,14
192SE01	KG	150	11,07
198	Stahlbeton	250	30,12
20127	Beton	250	17,84
20128	Beton	250	15,94
2015SE	Beton	250	87,59
20191_1	Polyvinylchlorid	200	2,43
20279	Stahlbeton	250	51,92
20280	Steinzeug	250	50,00
20281	Steinzeug	250	41,03
20423	Steinzeug	300	41,95
20424	Steinzeug	300	44,11
20425	Steinzeug	300	45,30
20426	Steinzeug	300	45,02
20427	Steinzeug	300	44,80
20428	Steinzeug	250	50,68
20429	Steinzeug	250	49,13
20562	Stahlbeton	0	18,02
2057	Stahlbeton	800	13,25
20736	Stahlbeton	800	13,94

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]	Anlage 3
20737	Stahlbeton	60	62,11	
20738	Stahlbeton	60	46,11	
20756	Stahlbeton	400	26,65	
20757	Stahlbeton	400	17,93	
20758	Stahlbeton	400	31,62	
20759	Beton	250	23,38	
20760	Steinzeug	250	47,55	
20761	Steinzeug	250	34,49	
20762	Steinzeug	250	34,76	
20763	Steinzeug	250	30,26	
20764	Stahlbeton	300	23,72	
20765	Stahlbeton	250	26,79	
20766	Steinzeug	250	18,85	
20767	Steinzeug	250	46,49	
20807	Beton	250	45,19	
20987	Beton	400	18,11	
20988	Beton	300	48,06	
20989	Beton	250	45,68	
20990	Beton	250	6,87	
20991	Steinzeug	200	44,03	
20992	Steinzeug	200	21,60	
2106	Beton	300	13,89	
2107	Beton	300	38,46	
2108	Beton	200	20,78	
21102	Steinzeug	250	50,31	
21107	Beton	300	27,32	
21108	Beton	300	13,54	
21109	Beton	300	52,48	
21110	Stahlbeton	0	8,86	
21111	Steinzeug	300	46,56	
21112	Steinzeug	300	60,79	
21113	Steinzeug	300	44,14	
21114	Steinzeug	300	50,77	
21115	Steinzeug	300	62,39	
21116	Steinzeug	250	65,25	
2121SE	Steinzeug	300	12,64	
2131SE	Steinzeug	300	37,84	
2136SE	Steinzeug	300	20,40	
217	Beton	500	38,89	
21929	Steinzeug	250	40,84	
21930	Steinzeug	250	51,60	
21931	Steinzeug	250	55,16	
21965	Polyethylen	200	8,45	
21970	Beton	100	17,59	
21971	Beton	100	18,36	
21972	Beton	100	38,38	
21973	Beton	100	94,22	
21974	Beton	200	43,13	
21975	Beton	200	32,42	
22115	Steinzeug	250	43,77	
22116	Steinzeug	250	45,75	
22117	Steinzeug	250	36,55	
22118	Steinzeug	250	44,94	
22119	Steinzeug	250	24,09	
22123	Steinzeug	250	41,91	
22216	Steinzeug	300	38,50	
22500ASE03	Polypropylen	150	4,24	
22638	Stahlbeton	250	46,04	
22779	Stahlbeton	400	17,67	
22780	Stahlbeton	400	50,94	

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]	Anlage 3
22781	Stahlbeton	400	43,78	
22782	Stahlbeton	400	50,21	
22783	Stahlbeton	400	47,56	
23241	Beton	250	15,00	
23242	Beton	250	33,99	
23243	Beton	250	33,11	
23245	Steinzeug	400	36,76	
23246	Steinzeug	400	61,11	
23247	Steinzeug	250	50,53	
23248	Steinzeug	250	39,39	
23249	Steinzeug	300	37,34	
23250	Steinzeug	250	50,59	
23251	Steinzeug	250	51,21	
23252	Steinzeug	250	41,73	
23283	Steinzeug	250	25,73	
23284	Steinzeug	250	30,17	
23285	Steinzeug	250	29,57	
233	Beton	500	35,22	
23398	Beton	300	77,97	
234	Beton	450	33,09	
23415	Beton	300	44,07	
23416	Polyvinylchlorid	250	37,14	
23417	Polyvinylchlorid	250	39,26	
23418	Polyvinylchlorid	250	40,77	
23419	Polyvinylchlorid	250	37,69	
23420	Polyvinylchlorid	250	40,36	
23421	Polyvinylchlorid	250	39,99	
23439_1	Beton	250	60,70	
23442	Steinzeug	200	2,49	
23443	Steinzeug	200	120,32	
235	Beton	450	14,53	
23501	Steinzeug	300	47,52	
23568	Beton	300	16,11	
23569	Beton	300	40,03	
23570	Beton	300	41,07	
23571	Steinzeug	250	19,27	
23572	Steinzeug	300	20,28	
23573	Steinzeug	300	26,93	
23574	Steinzeug	300	22,79	
23575	Beton	200	21,97	
23576	Beton	200	47,05	
23577	Beton	300	20,96	
23578	Beton	300	36,96	
23579	Beton	300	35,39	
23595	Beton	300	22,97	
23596	Beton	300	29,38	
23597	Beton	300	40,43	
23598	Beton	300	32,85	
23599	Beton	300	41,88	
23600	Beton	300	38,69	
23601	Beton	300	40,86	
23602	Beton	250	40,93	
23603	Beton	250	39,90	
23604	Beton	250	37,50	
23605	Beton	300	46,03	
23707	Stahlbeton	0	15,22	
23708	Stahlbeton	0	44,42	
23853	Beton	250	117,71	
23854	Beton	250	18,36	
23855	Beton	400	1,80	

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]	Anlage 3
23856	Beton	300	52,07	
23857	Beton	300	39,70	
23858	Beton	300	40,19	
23859	Beton	300	39,30	
23860	Beton	250	40,13	
23861	Beton	250	39,06	
23862	Beton	250	10,04	
23863	Beton	300	16,69	
23864	Beton	250	14,07	
23865	Beton	250	24,97	
23866	Beton	300	45,91	
23867	Beton	250	43,29	
23868	Beton	250	26,79	
23869	Beton	250	48,75	
23953	Beton	300	4,53	
23969	Beton	150	13,71	
23970	Beton	250	18,78	
23971	Beton	300	40,55	
23972	Beton	300	36,13	
23973	Beton	300	52,57	
23974	Beton	300	45,77	
23975	Beton	250	8,27	
23976	Beton	250	12,10	
23977	Beton	250	27,80	
23978	Beton	250	44,26	
23979	Beton	250	45,93	
23980	Beton	250	7,00	
23981	Beton	250	31,04	
24289	Steinzeug	250	47,36	
24341	Stahlbeton	0	4,13	
24342	Stahlbeton	0	23,02	
24343	Stahlbeton	0	17,98	
24344	Stahlbeton	0	18,86	
24347	Steinzeug	500	12,12	
24348	Steinzeug	400	31,67	
24349	Steinzeug	400	38,44	
24350	Steinzeug	400	34,74	
24351	Steinzeug	300	25,80	
24352	Steinzeug	300	29,37	
24353	Steinzeug	300	30,47	
24354	Steinzeug	300	27,07	
24355	Steinzeug	300	19,68	
24356	Steinzeug	300	20,34	
24357	Steinzeug	300	59,11	
24358	Steinzeug	250	44,69	
24359	Steinzeug	250	28,75	
24360	Steinzeug	250	18,61	
24374	Steinzeug	300	19,47	
24375	Steinzeug	300	28,97	
24376	Steinzeug	300	16,39	
24377	Beton	300	12,45	
24378	Steinzeug	250	21,95	
24385	Steinzeug	400	15,03	
24386	Steinzeug	400	34,17	
24387	Steinzeug	400	47,61	
24388	Steinzeug	400	51,18	
24389	Steinzeug	250	67,73	
24390	Steinzeug	250	26,26	
24391	Steinzeug	300	68,89	
24392	Steinzeug	300	34,13	

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]	Anlage 3
24393	Steinzeug	300	18,18	
24394	Steinzeug	250	39,56	
24395	Steinzeug	250	29,85	
24396	Steinzeug	250	26,31	
24397	Steinzeug	250	28,52	
24398	Steinzeug	250	22,54	
24399	Steinzeug	250	18,91	
24400	Steinzeug	250	29,08	
24426	Steinzeug	400	20,33	
24427	Steinzeug	400	8,84	
24429	Steinzeug	400	3,01	
24430	Steinzeug	300	7,92	
24431	Steinzeug	300	12,43	
24432	Steinzeug	250	44,81	
24433	Steinzeug	250	36,78	
24434	Steinzeug	250	31,87	
24521	Beton	300	35,14	
24522	Beton	300	34,53	
24545	Beton	300	57,94	
24546	Beton	300	57,46	
24556	Steinzeug	300	41,46	
24557	Steinzeug	300	40,46	
24558	Steinzeug	300	40,79	
24559	Steinzeug	300	41,87	
24560	Steinzeug	250	40,27	
24561	Steinzeug	250	37,94	
24562	Steinzeug	250	54,48	
24563	Steinzeug	250	49,50	
24564	Steinzeug	250	52,55	
24605SE	Steinzeug	300	6,43	
24630	Beton	300	8,03	
24631	Steinzeug	300	10,03	
24632	Steinzeug	300	11,81	
24633	Steinzeug	300	54,21	
24662	Polyvinylchlorid	300	56,03	
24663	Beton	300	15,36	
24664	Beton	300	24,05	
24665	Beton	300	59,95	
24667	Beton	400	38,63	
24668	Beton	300	29,65	
24669	Beton	300	17,61	
24670	Beton	300	15,46	
24673	Stahlbeton	500	12,45	
24674	Stahlbeton	800	30,67	
24675	Stahlbeton	500	40,25	
24676	Stahlbeton	500	52,15	
24677	Stahlbeton	500	35,31	
24678	Stahlbeton	500	24,24	
24679	Stahlbeton	500	15,97	
24915_1	Beton	250	0,00	
24918	Beton	250	0,00	
24919	Beton	250	32,96	
24920	Beton	300	29,10	
24921	Beton	300	54,90	
24922	Beton	300	56,78	
24923	Beton	300	43,65	
24924	Beton	300	12,18	
24925	Beton	300	3,77	
24926	Beton	300	48,93	
24927	Beton	300	49,43	

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]	Anlage 3
24929	Beton	400	34,06	
24930	Beton	400	46,49	
24931	Beton	400	38,65	
24932	Beton	400	28,73	
24933	Beton	400	34,80	
24943	Beton	500	21,67	
24945	Beton	300	34,22	
24946	Beton	300	12,20	
24950	Beton	300	42,34	
24951	Beton	300	36,63	
24952	Beton	300	24,49	
24953	Beton	300	25,04	
24954	Beton	300	22,91	
24955	Beton	300	20,25	
24956	Beton	300	29,35	
24957	Steinzeug	200	19,49	
24958	Beton	300	26,95	
24959	Beton	300	22,18	
24960	Beton	300	21,45	
24961	Beton	300	8,11	
24962	Beton	300	38,71	
24963	Beton	250	41,98	
24964	Beton	250	34,98	
24965	Beton	250	40,86	
24974	Steinzeug	200	18,06	
24975	Steinzeug	300	22,92	
25001	Steinzeug	300	22,46	
25002	Steinzeug	300	18,26	
25003	Steinzeug	300	39,21	
25004	Steinzeug	300	12,34	
25005	Steinzeug	300	37,86	
25006	Steinzeug	300	39,90	
25007	Steinzeug	300	25,09	
25010	Steinzeug	300	8,07	
25011	Steinzeug	300	46,12	
25012	Steinzeug	300	24,60	
25013	Stahlbeton	0	20,21	
25014	Steinzeug	350	49,37	
25015	Steinzeug	350	50,27	
25016	Steinzeug	350	64,31	
25017	Steinzeug	350	32,17	
25018	Steinzeug	350	40,10	
25019	Steinzeug	350	39,24	
25020	Steinzeug	350	39,58	
25021	Steinzeug	350	41,07	
25060	Stahlbeton	250	13,17	
25061	Stahlbeton	250	45,47	
25088	Beton	400	9,04	
25089	Beton	400	59,23	
25090	Beton	400	24,23	
25092	Beton	400	15,28	
25093	Beton	400	5,92	
25094	Beton	400	15,11	
25096	Beton	250	17,04	
25097	Beton	250	39,18	
25098	Beton	250	40,60	
25098_1	Steinzeug	300	13,07	
25099	Beton	300	22,41	
25100	Polyvinylchlorid	200	41,69	
25101	Polyvinylchlorid	150	32,34	

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]	Anlage 3
25102	Polyvinylchlorid	150	43,93	
25103	Polyvinylchlorid	150	34,62	
25144	Steinzeug	300	20,13	
25145	Polyvinylchlorid	150	7,50	
25146	Polyvinylchlorid	150	13,17	
25157	Stahlbeton	700	10,90	
25158	Stahlbeton	500	29,82	
25159	Stahlbeton	700	17,01	
25160	Stahlbeton	700	62,03	
25161	Stahlbeton	800	33,32	
25166	Stahlbeton	800	40,65	
25167	Stahlbeton	800	47,03	
25168	Stahlbeton	800	34,04	
25170	Beton	250	42,12	
25179	Stahlbeton	800	23,51	
25180	Stahlbeton	800	3,72	
25181	Steinzeug	450	9,89	
25182	Steinzeug	450	16,54	
25184	Stahlbeton	700	18,73	
25185	Stahlbeton	700	65,44	
25186	Stahlbeton	700	60,45	
25187	Stahlbeton	700	61,46	
25188	Steinzeug	300	43,74	
25189	Steinzeug	300	42,65	
25190	Steinzeug	400	32,94	
25191	Steinzeug	150	9,82	
25192	Steinzeug	300	42,66	
25193	Steinzeug	200	11,65	
25194	Steinzeug	200	20,55	
25195	Steinzeug	150	23,24	
25196	Steinzeug	150	5,01	
25197	Steinzeug	200	3,04	
25198	Steinzeug	200	28,38	
25199	Steinzeug	150	17,40	
25200	Steinzeug	150	9,72	
25202	Beton	200	57,66	
25287	Polyvinylchlorid	200	35,40	
25288	Steinzeug	200	35,73	
25314	Stahlbeton	700	15,98	
25315	Stahlbeton	700	38,45	
25316	-	0	35,47	
25386	Beton	400	68,17	
25387	Beton	300	48,26	
25388	Beton	300	14,86	
25389	Beton	200	7,59	
25481	Steinzeug	250	40,86	
25482	Steinzeug	450	25,57	
25484	Polyvinylchlorid	200	74,90	
25501	Beton	250	39,38	
25502	Beton	250	37,82	
25503	Beton	150	56,68	
25504	Beton	150	9,20	
25545	Steinzeug	200	11,37	
25546	Steinzeug	200	21,61	
25622	Beton	300	21,56	
25624	Beton	300	71,20	
277	Steinzeug	300	24,83	
281SE01	KG	150	2,61	
281SE02	KG	150	1,36	
282SE01	KG	150	3,54	

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]
282SE02	KG	150	2,59
283	Steinzeug	250	39,75
284SE01	KG	150	4,05
314_1	Beton	500	55,39
3179	Steinzeug	300	1,55
3651SE01	Polypropylen	150	8,67
3654SE01	Polypropylen	150	8,55
3654SE02	Polypropylen	150	5,02
3654SE03	Polyvinylchlorid	100	29,67
3656SE	Polypropylen	200	46,84
3657SE	Polypropylen	200	39,32
3658SE	Polypropylen	200	35,92
3659SE	Polypropylen	250	8,61
378	Steinzeug	300	27,74
385	Beton	300	6,24
438	Stahlbeton	800	33,31
439	Stahlbeton	800	41,31
440	Stahlbeton	800	41,19
441	Stahlbeton	800	30,94
494	Beton	250	25,82
496	Beton	250	39,96
497	Steinzeug	300	35,60
501	Steinzeug	300	12,15
506	Beton	400	19,00
507	Beton	400	41,93
508	Beton	400	43,95
5085	Steinzeug	250	13,76
5086	Steinzeug	250	47,57
510	Beton	250	24,18
529	Beton	250	52,11
530	Beton	250	16,76
546	Beton	250	23,58
548	Beton	250	31,25
549	Polyvinylchlorid	150	22,79
550	Polyvinylchlorid	150	27,20
551	Polyvinylchlorid	150	22,01
552	Polyvinylchlorid	150	21,41
553	Polyvinylchlorid	150	25,47
554SE	Beton	250	17,73
610	Steinzeug	300	48,55
613	Steinzeug	300	57,86
614	Steinzeug	300	13,02
615	Steinzeug	300	33,06
7124SE01	Steinzeug	150	3,29
7215SE01	Steinzeug	150	8,32
7215SE02	GFK	150	4,16
7217SE01	Steinzeug	150	2,15
7217SE02	Steinzeug	150	2,01
7217SE03	Steinzeug	150	3,54
7218SE01	Beton	150	1,97
7225SE01	GFK	150	2,75
7226SE01	Steinzeug	150	1,72
756SE01	Stahlbeton	300	4,91
756SE02	Stahlbeton	300	29,83
756SE03	Stahlbeton	300	27,71
756SE04	Stahlbeton	300	30,11
7864SE01	Steinzeug	150	3,21
7866SE01	Steinzeug	150	4,04
940	Steinzeug	250	52,81
942	Steinzeug	250	49,90

Haltungsbezeichnung	Material	DN (Nennweite)	Aufmaßlänge [m]	Anlage 3
943	Steinzeug	250	49,98	
944	Steinzeug	250	58,08	
945	Steinzeug	250	17,35	
946	Steinzeug	250	10,08	
954	Beton	300	41,02	
955	Beton	300	40,30	
956	Beton	300	40,13	
958	Beton	300	32,39	
SSK02	-	0	7,83	
SSK03	Polypropylen	160	9,73	
SSK04	Polypropylen	160	1,94	
Anzahl Haltungen			Gesamtlänge [m]	
485 Stk.			15.114,74	